

# SAFETY DATA SHEET



## 1. Identification

McKinnon Materials, Inc.  
5612 56th Commerce Park Blvd.  
Tampa, Florida 33612 USA  
(866)622-7031

### TRANSPORTATION EMERGENCY

CALL CHEMTREC: (800) 424-9300

### NON-TRANSPORTATION

Emergency Phone: Call Chemtrec

**Product Name:** Miracle Glaze H20, A Component  
**Material Number:** WA  
**Chemical Family:** Aqueous Polyacrylic Resin Dispersion  
**Use:** Coating

## 2. Hazards Identification

This product is not classified as hazardous according to OSHA HazCom 2012 (29 CFR 1910.1200).

## 3. Composition/Information on Ingredients

### Hazardous Components

There are no hazardous components above the relevant concentration limits according to OSHA HazCom 2012.

### OTHER INGREDIENTS

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
1 - 5%	Triethanolamine	102-71-6

This product contains an amine neutralizing agent which is bound in the matrix of this product as a salt. This amine salt is considered essentially unreactive at room temperature. Generation of amine vapors is expected when this product is processed (heated) during the drying/hardening of the coating.

## 4. First Aid Measures

### Most Important Symptom(s)/Effect(s)

**Acute:** Not expected to cause adverse acute health effects.

Material Name: Miracle Glaze H20, A Component

Material Number: WA

**Eye Contact**

In case of contact, flush eyes with plenty of lukewarm water. Use fingers to ensure that eyelids are separated and that the eye is being irrigated. Get medical attention if irritation develops.

**Skin Contact**

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops.

**Inhalation**

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention if irritation develops.

**Ingestion**

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

**5. Firefighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, water spray for large fires.

**Unsuitable Extinguishing Media** No Data Available

**Fire Fighting Procedure**

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

**Hazardous Decomposition Products**

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke., Other undetermined compounds

**6. Accidental Release Measures****Spill and Leak Procedures**

Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal. Dike or dam spilled material and control further spillage, if possible. Prevent from entering open drains and waterways. Wash spill area with soap and water. Ventilate area to remove vapors or dust.

**7. Handling and Storage****Handling/Storage Precautions**

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Avoid breathing dust, vapor, or mist. Avoid contact with eyes. Avoid contact with skin or clothing. Protect from freezing.

**Storage Period:**

6 Months: after receipt of material by customer

**Storage Temperature**

**Minimum:** 7 °C (44.6 °F)

**Maximum:** 25 °C (77 °F)

**Storage Conditions**

Store in a cool dry place. Store in original or similar containers. Store separate from food products.

**Substances to Avoid**

Water reactives

**8. Exposure Controls/Personal Protection****Triethanolamine (102-71-6)**

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 5 mg/m<sup>3</sup>

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 5 mg/m<sup>3</sup>

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

**Industrial Hygiene/Ventilation Measures**

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines. Thermal processing operations should be ventilated to control gases and fumes given off during processing. Curing ovens must be ventilated to prevent the build up of explosive atmospheres and to prevent off gases from entering the work place.

**Respiratory Protection**

None required under normal conditions of use., NIOSH approved air-supplied respirator during die cleaning, high temperature processing or when thermal decomposition is suspected.

**Hand Protection**

Permeation resistant gloves., Butyl rubber gloves., Nitrile rubber gloves.

**Eye Protection**

Chemical safety goggles or safety glasses with side-shields.

**Skin Protection**

Permeation resistant clothing, Gloves, long sleeved shirts and pants.

**Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Store separate from food products.

**9. Physical and Chemical Properties**

<b>State of Matter:</b>	liquid
<b>Color:</b>	Milky White
<b>Odor:</b>	mild, characteristic
<b>Odor Threshold:</b>	No Data Available
<b>pH:</b>	7 - 8 (Determined in a 10 % aqueous solution)
<b>Freezing Point:</b>	0 °C (32 °F) similar to water
<b>Boiling Point:</b>	100 °C (212 °F) similar to water

Material Name: Miracle Glaze H20, A Component

Material Number: WA

<b>Flash Point:</b>	Not applicable (water based product), however, solid material will support combustion if water has been evaporated.
<b>Evaporation Rate:</b>	No Data Available
<b>Lower Explosion Limit:</b>	No Data Available
<b>Upper Explosion Limit:</b>	No Data Available
<b>Vapor Pressure:</b>	No Data Available
<b>Vapor Density:</b>	No Data Available
<b>Density:</b>	No Data Available
<b>Relative Vapor Density:</b>	No Data Available
<b>Specific Gravity:</b>	Approximately 1.19 @ 25 °C (77 °F)
<b>Solubility in Water:</b>	miscible
<b>Partition Coefficient: n-octanol/water:</b>	No Data Available
<b>Auto-ignition Temperature:</b>	ca. 455 °C (851 °F) (DIN 51794)
<b>Decomposition Temperature:</b>	No Data Available
<b>Dynamic Viscosity:</b>	1,000 - 3,500 mPa.s @ 23 °C (73.4 °F) (DIN 53019)
<b>Kinematic Viscosity:</b>	No Data Available
<b>Bulk Density:</b>	Approximately 1,066 kg/m <sup>3</sup>
<b>Self Ignition:</b>	not applicable

## 10. Stability and Reactivity

### Hazardous Reactions

Hazardous polymerisation does not occur.

### Stability

Stable

### Materials to Avoid

Water reactives

### Conditions to Avoid

Protect from freezing.

### Hazardous Decomposition Products

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke., Other undetermined compounds

## 11. Toxicological Information

<b>Likely Routes of Exposure:</b>	Skin Contact
	Eye Contact
	Ingestion
	Inhalation

### Health Effects and Symptoms

**Acute:** Not expected to cause adverse acute health effects.

**Chronic:** Not expected to cause adverse chronic health effects.

### Toxicity Data for Miracle Glaze H20, B Component

#### Acute Oral Toxicity

Acute toxicity estimate: > 5000 mg/kg (Calculation method)

#### Carcinogenicity:

Material Name: Miracle Glaze H20, A Component

Material Number: WA

No carcinogenic substances as defined by IARC, NTP and/or OSHA

## 12. Ecological Information

No data available for this product.

**The components in this product are either non-hazardous or do not have any ecotoxicity data associated with them.**

## 13. Disposal Considerations

### Waste Disposal Method

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

### Empty Container Precautions

Recondition or dispose of empty container in accordance with governmental regulations.

## 14. Transportation Information

### Land transport (DOT)

Non-Regulated

### Sea transport (IMDG)

Non-Regulated

### Air transport (ICAO/IATA)

Non-Regulated

## 15. Regulatory Information

### United States Federal Regulations

**US. Toxic Substances Control Act:** Listed on the TSCA Inventory.

**US. EPA CERCLA Hazardous Substances (40 CFR 302) Components:**

None

**SARA Section 311/312 Hazard Categories:**

Non-hazardous under Section 311/312

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:**

None

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:**

None

**US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):**

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR

Material Name: Miracle Glaze H20, A Component

Material Number: WA

261.2, to determine if that waste is a hazardous waste.

**State Right-To-Know Information**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

**Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:**

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
>=1%	Polyacrylate Resin	<b>CAS# is a trade secret</b>
>=1%	Water	7732-18-5
>=1%	Reactive diluent	<b>CAS# is a trade secret</b>
1 - 5%	Triethanolamine	102-71-6
1 - 5%	Propylene Glycol n-Butyl Ether	5131-66-8

**New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:**

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
0.1 - 1%	Acetone	67-64-1

**California Prop. 65:**

Warning! This product contains chemical(s) known to the State of California to be Carcinogenic.

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
<0.1%	Diethanolamine	111-42-2

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

**16. Other Information**

The method of hazard communication for Bayer MaterialScience LLC is comprised of Product Labels and Safety Data Sheets.

Contact: Product Safety Department  
Telephone: (412) 777-2835  
SDS Number: 112000020042  
Version Date: 03/27/2015  
SDS Version: 1.0

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of McKinnon Materials, Inc.. The information in this SDS relates only to the specific material designated herein. McKinnon Materials, Inc. assumes no legal responsibility for use of or reliance upon the information in this SDS.